














## Galvanised Steel Foot Valves and Flanged Fittings

FOOT VALVE - STANDARD	Size		Weight (Kg)	Code	Price
	Inches	mm			
	3	80	6.9	TR88614	255.69
	4	100	11.5	TR88615	299.24
	5	125	14.0	TR88625	370.59
	6	150	15.4	TR88635	408.78
	8	200	22.0	TR88655	625.40
	10	250	37.2	TR88665	1026.24
	12	300	50.1	TR88675	1268.82
	14	350	65.0	TR88685	1704.58
	16	400	73.0	TR88690	2379.08
	18	450	115.0	TR88695	2636.97
FOOT VALVE - QUICK RELEASE	Size		Weight (Kg)	Code	Price
Inches	mm				
	3	80	7.2	TR88705	272.77
	4	100	12.0	TR88715	314.12
	5	125	14.0	TR88725	390.63
	6	150	15.4	TR88730	424.92
	8	200	22.0	TR88755	539.24
	10	250	37.2	TR88775	1056.30
	12	300	50.1	TR88785	1378.99
	14	350	65.0	TR88795	1984.03
	16	400	73.0	TR88797	2586.55
	18	450	115.0	TR88800	2942.02
STRAINER - FLANGED	Size		Weight (Kg)	Code	Price
Inches	mm				
	3	80	2.7	TR88883	112.31
	4	100	3.9	TR88884	141.93
	5	125	5.2	TR88885	164.05
	6	150	5.6	RT88886	216.55
STRAINER - HOSE TAIL	Size		Weight (Kg)	Code	Price
Inches	mm				
	2	50	3.0	TR88892	72.73
	3	80	3.5	TR88893	77.58
	4	100	4.5	TR88894	101.60
STRAINER ASSY. - FOOT VALVE	Size		Weight (Kg)	Code	Price
Inches	mm				
	3	80	1.0	TR82713	46.39
	4	100	1.2	TR82714	52.25
	5	125	2.0	TR82715	64.98
	6	150	2.1	TR82716	70.71
	8	200	2.5	TR82718	96.55
	10	250	6.8	TR82720	296.28
	12	300	9.1	TR82722	355.90
	14	350	12.3	TR82724	525.00
	16	400	12.0	TR82726	770.67
	18	450	14.0	TR82728	869.68






FLAP RUBBER – FOOT VALVE	Size		Code	Price	
	Inches	mm			
	3	80	TR86610	5.11	
	4	100	TR86615	7.37	
	5	125	TR86620	9.64	
	6	150	TR86625	10.40	
	8	200	TR86628	17.77	
	10	250	TR86630	28.61	
	12	300	TR86632	46.32	
	14	350	TR86634	53.49	
	16	400	TR86636	64.66	
	18	450	TR86638	79.92	
GATE VALVE	Size		Weight (Kg)	Code	Price
	Inches	mm			
	3	80	17.2	TR86703	767.21
	4	100	22.6	TR86704	950.42
	5	125	29.7	TR86705	1059.14
	6	150	33.6	TR86706	1143.03
	8	200	50.0	TR86708	1281.18
CHECK VALVE	Size		Weight (Kg)	Code	Price
	Inches	mm			
	3	80	13.9	TR86713	504.71
	4	100	19.3	TR86714	691.07
	5	125	26.4	TR86715	813.78
	6	150	30.3	TR86716	846.37
	8	200	46.7	TR86718	962.84
GATE/CHECK VALVE FLAP ASSEMBLY	Size		Code	Price	
	Inches	mm			
 <p>TYPICAL ASSEMBLY</p>	3	80	TR86863	41.60	
	4	100	TR86864	52.94	
	5	125	TR86865	61.76	
	6	150	TR86866	73.11	
	8	200	TR86868	90.76	
FOOT VALVE FLAP ASSEMBLY	Size		Code	Price	
	Inches	mm			
 <p>TYPICAL ASSEMBLY</p>	3	80	TR82733	63.03	
	4	100	TR82734	66.81	
	5	125	TR82735	74.37	
	6	150	TR82736	85.71	
	8	200	TR82738	110.92	
	10	250	TR82740	230.67	
	12	300	TR82742	226.89	
	14	350	TR82744	346.64	
	16	400	TR82746	428.57	
	18	450	TR82748	523.11	


## Galvanised Steel Foot Valves and Flanged Fittings

BEND 90° LOOSE FLANGE	Size		Weight (Kg)	Code	Price
	Inches	mm			
	2	50	3.5	TR88901	118.11
	2 ½	65	4.2	TR88902	120.82
	3	80	5.3	TR88903	122.71
	4	100	6.7	TR88907	153.47
	5	125	9.0	TR88905	243.59
	6	150	10.5	TR88906	287.02
	8	200	17.6	TR88908	424.47
	10	250	25.5	TR88910	546.18
	12	300	31.3	TR88912	617.52
	14	350	40.5	TR88914	840.82
BEND 45° LOOSE FLANGE	Size		Weight (Kg)	Code	Price
Inches	mm				
	2	50	4.0	TR88951	107.21
	2½	65	4.0	TR88952	111.87
	3	80	4.9	TR88953	115.40
	4	100	6.2	TR88954	160.59
	5	125	8.1	TR88955	200.80
	6	150	9.3	TR88956	229.35
	8	200	14.9	TR88958	320.17
	10	250	21.3	TR88960	455.11
	12	300	25.6	TR88962	554.43
	BEND 90° LOOSE FLANGE REDUCING	Size		Weight (Kg)	Code
Inches	mm				
	2-1½	50-80	4.0	TR87700	123.97
	2½-2	65-50	4.0	TR87701	129.45
	3-1½	80-40	4.2	TR87702	165.06
	3-2	80-50	4.4	TR87703	137.52
	3-2½	80-65	4.6	TR87704	142.69
	4-1½	100-40	5.7	TR87705	240.13
	4-2	100-50	5.9	TR87706	170.55
	4-2½	100-65	6.0	TR87707	201.81
	4-3	100-80	6.5	TR87708	180.88
	5-2½	125-65	7.3	TR87709	213.91
	5-3	125-80	7.7	TR87710	225.76
	5-4	125-100	8.3	TR87711	235.21
	6-2½	150-65	9.0	TR87712	243.34
	6-3	150-80	9.1	TR87715	283.99
	6-4	150-100	9.2	TR87713	263.38
	6-5	150-125	10.7	TR87714	313.74
	7-5	180-125	12.5	TR87716	333.91
	7-6	180-150	18.0	TR87717	336.55
	8-5	200-125	15.0	TR87718	367.31
	8-6	200-150	13.8	TR87719	464.31
	8-7	225-180	23.0	TR87720	469.66
	9-6	225-150	22.0	TR87721	498.34
	9-8	250-200	25.0	TR87722	527.14
	10-4	250-100	20.0	TR87723	625.90
	10-6	250-150	23.0	TR87724	647.08
	10-8	250-200	27.0	TR87725	808.80
	10-9	250-225	33.0	TR87726	817.56
	12-10	300-250	32.0	TR87730	855.76
	14-10	350-250	42.0	TR87731	889.92
	CONTINUED OVER PAGE...				





## Galvanised Steel Foot Valves and Flanged Fittings

BEND 90° LOOSE FLANGE REDUCING CONT...	Size		Weight (Kg)	Code	Price	
	Inches	mm				
	14-12	350-300	45.0	TR87732	934.92	
	15-14	375-350	49.0	TR87733	1121.28	
	16-14	400-350	52.0	TR87735	1290.57	
	16-15	400-375	55.0	TR87736	1329.39	
	18-15	450-375	60.0	TR87739	1646.16	
	18-16	450-400	64.0	TR87740	1711.39	
	20-16	500-400	67.0	TR87743	2051.47	
	20-18	500-450	71.0	TR87744	2155.59	
	24-18	600-450	76.0	TR87746	3408.72	
	24-20	600-500	83.0	TR87747	3442.88	
BEND 90° FIXED FLANGE	Size		Weight (Kg)	Code	Price	
	Inches	mm				
		2	50	3.2	TR88801	102.54
		2½	65	4.0	TR88802	105.32
		3	80	4.4	TR88803	107.21
		4	100	6.0	TR88804	139.54
		5	125	7.7	TR88805	221.53
		6	150	9.3	TR88806	257.84
		8	200	14.9	TR88808	376.32
		10	250	22.2	TR88810	489.77
		12	300	28.2	TR88812	600.13
	14	350	36.3	TR88814	681.81	
TEE-FLANGED	Size		Weight (Kg)	Code	Price	
	Inches	mm				
		1½ x 1½	40x40	3.5	TR88139	97.06
		2 x 2	50x50	4.0	TR88140	119.31
		2½ x 2½	65x65	5.0	TR88141	129.33
		3 x 3	80x80	6.7	TR88143	154.92
		4 x 4	100x100	9.3	TR88144	189.45
		5 x 5	125x125	13.0	TR88145	244.41
		6 x 6	150x150	23.0	TR88146	293.51
	8 x 8	200x200	25.0	TR88148	431.09	
	10 x 10	250x250	29.0	TR88150	564.71	
BEND - 45° FIXED FLANGE	Size		Weight (Kg)	Code	Price	
	Inches	mm				
		2	50	3.1	TR88851	90.88
		2½	65	3.5	TR88852	92.08
		3	80	4.2	TR88853	99.71
		4	100	5.6	TR88854	125.11
		5	125	7.1	TR88855	178.61
		6	150	8.1	TR88856	192.10
		8	200	13.0	TR88858	260.55
		10	250	18.7	TR88860	382.00
		12	300	22.3	TR88862	463.61
	14	350	28.9	TR88864	528.03	





## Galvanised Steel Foot Valves and Flanged Fittings

PIPE - FLANGED	Size		Weight (Kg)	Code	Price
	Inches	mm			
	3x2	80x600	5.4	TR88502	103.36
	3x3	80x900	6.2	TR88503	115.97
	3x6	80x1800	9.3	TR88506	151.26
	3x9	80x2700	12.0	TR88509	186.55
	3x12	80x3600	15.4	TR88512	220.59
	3x15	80x4500	18.5	TR88515	257.14
	3x18	80x5400	21.5	TR88518	297.48
	4x2	100x600	7.0	TR88522	131.09
	4x3	100x900	8.2	TR88523	146.22
	4x6	100x1800	12.4	TR88526	191.60
	4x9	100x2700	16.4	TR88529	236.97
	4x12	100x3600	21.5	TR88532	282.35
	4x15	100x4500	24.0	TR88535	327.73
	4x18	100x5400	26.1	TR88538	375.63
	5x2	125x600	9.2	TR88542	163.87
	5x3	125x900	10.9	TR88543	181.51
	5x6	125x1800	16.7	TR88546	236.97
	5x9	125x2700	25.4	TR88549	297.48
	5x12	125x3600	26.1	TR88552	352.94
	5x15	125x4500	32.9	TR88555	413.45
	5x18	125x5400	35	TR88558	484.03
	6x2	150x600	11.5	TR88562	195.38
	6x3	150x900	12.4	TR88563	214.29
	6x6	150x1800	13.7	TR88566	279.83
	6x9	150x2700	25.5	TR88569	352.94
	6x12	150x3600	31.2	TR88572	431.09
	6x15	150x4500	46.3	TR88575	484.03
	6x18	150x5400	52	TR88578	554.62
	8x2	200x600	19.0	TR88582	284.87
	8x3	200x900	20.9	TR88583	310.08
	8x6	200x1800	25.6	TR88586	400.84
	8x9	200x2700	40.8	TR88589	519.33
	8x12	200x3600	42.3	TR88592	607.56
	8x15	200x4500	50.3	TR88595	699.58
	8x18	200x5400	69.2	TR88598	763.87
	10x2	250x609	23.0	TR88605	365.55
	10x3	250x900	27.2	TR88599	388.24
	10x6	250x1800	39.0	TR88600	481.51
	10x9	250x2700	50.9	TR88601	607.56
	10x12	250x3600	62.5	TR88602	709.66
	10x15	250x4500	74.0	TR88603	781.51
	10x18	250x5400	86.0	TR88604	887.39
	12x2	300x600	25.0	TR88612	460.08
	12x3	300x900	30.6	TR88606	491.60
	12x6	300x1800	45.8	TR88607	592.44
	12x9	300x2700	60.4	TR88608	733.61
	12x12	300x3600	75.0	TR88609	857.14
	12x15	300x4500	90.0	TR88610	1018.49
	12x18	300x5400	105.0	TR88611	1046.22


## Galvanised Steel Foot Valves and Flanged Fittings

HOSE END - BEADED	Size		Weight (Kg)	Code	Price
	Inches	mm			
	1½	40	0.4	TR87000	36.05
	2	50	0.6	TR87001	39.14
	2½	65	0.9	TR87002	44.31
	3	80	1.2	TR87003	48.40
	4	100	1.6	TR87004	60.13
	5	125	1.8	TR87005	63.15
	6	150	2.2	TR87006	72.79
	8	200	2.5	TR87008	94.29
	10	250	3.0	TR87010	121.76
JOINER – HOSE (DOUBLE BEAD)	Size		Weight (Kg)	Code	Price
Inches	mm				
	2	50	0.6	TR82991	43.17
	3	80	1.2	TR82993	51.81
	4	100	1.6	TR82994	62.71
	5	125	1.9	TR82995	65.48
	6	150	2.2	TR82996	74.37
	HOSE END – BEAD/THREAD	Bead/Thread		Weight (Kg)	Code
Inches	mm				
	1½-1½	40-40	1.0	TR88270	55.78
	2-2	50-50	1.1	TR88271	66.74
	2½-2½	65-65	1.6	TR88272	75.38
	3-3	80-80	1.7	TR88273	94.47
	4-4	100-100	2.4	TR88274	107.90
	5-5	125-125	2.9	TR88275	146.03
	6-6	150-150	3.4	TR88276	160.02
HOSE END – REDUCING (BEAD/THREAD)	Bead x Thread		Weight (Kg)	Code	Price
Inches	mm				
	2½x2	65x60	1.1	TR86673	63.78
	3x2	80x50	1.5	TR86674	96.05
	3x2½	80x65	1.5	TR86675	99.01
	4x2	100x50	2.2	TR86676	95.67
	4x2½	100x65	2.3	TR86677	104.43
	4x3	100x80	2.0	TR86678	107.90
	5x3	125x80	2.4	TR86679	121.76
	5x4	125x100	2.7	TR86680	137.52
	6x3	150x80	2.8	TR86681	146.16
	6x4	150x100	3.0	TR86682	154.92
	6x5	150x125	3.2	TR86683	161.85

## Galvanised Steel Foot Valves and Flanged Fittings

HOSE END – ENLARGING (BEAD/THREAD)	Bead x Thread		Weight (Kg)	Code	Price
	Inches	mm			
	2x2½	50x65	1.5	TR82163	84.45
	2x3	50x80	1.7	TR82164	92.27
	2x4	50x100	2.0	TR82165	94.79
	2½x3	65x80	2.0	TR82166	94.79
	2½x4	65x100	2.0	TR82167	100.97
	3x4	80x100	2.0	TR82169	107.90
	3x5	80x125	2.4	TR82170	109.41
	3x6	80x150	2.8	TR82171	116.41
	4x5	100x125	2.7	TR82173	116.41
	4x6	100x150	2.9	TR82174	122.71
	5x6	125x150	3.2	TR82175	150.69
HOSE END – ENLARGING (PLAIN/THREAD)	Size		Weight (Kg)	Code	Price
Inches	mm				
	2-2½	50-65	1.5	TR84973	86.34
	2-3	50-75	1.7	TR84974	83.57
	2-4	50-100	2.0	TR84975	96.30
	2½-3	65-75	2.0	TR84976	83.07
	2½-4	65-100	2.0	TR84977	92.65
	3-4	75-100	2.1	TR84979	97.06
	3-5	75-125	2.4	TR84980	99.20
	3-6	75-150	2.8	TR84981	110.29
	4-5	100-125	2.7	TR84983	110.55
	4-6	100-150	2.9	TR84984	114.33
	5-6	125-150	23.2	TR84985	142.37
HOSE END – REDUCING (FLANGE/PLAIN)	Size		Weight (Kg)	Code	Price
Inches	mm				
	2½x2	65x50	2.0	TR84831	49.47
	3x2	80x50	2.5	TR84833	52.06
	3x2½	80x65	2.5	TR84834	54.01
	4x2	100x50	3.2	TR84836	54.01
	4x2½	100x65	3.0	TR84837	59.43
	4x3	100x80	3.7	TR84838	62.96
	5x3	125x80	4.0	TR84840	70.21
	5x4	125x100	4.8	TR84841	76.07
	6x3	150x80	5.5	TR84843	80.42
	6x4	150x100	5.7	TR84844	83.51
	6x5	150x125	5.4	TR84845	89.50
	8x5	200x125	9.0	TR84847	168.78
	8x6	200x150	9.2	TR84848	186.18
HOSE END – REDUCING (PLAIN/THREAD)	Size		Weight (Kg)	Code	Price
Inches	mm				
	2½-2	65-50	1.1	TR85031	86.28
	3-2	80-50	1.5	TR85033	87.35
	3-2½	80-65	2.2	TR85034	82.82
	4-2	100-50	2.2	TR85036	96.24
	4-2½	100-65	2.4	TR85037	99.45
	4-3	100-80	1.9	TR85038	97.06
	5-3	125-80	2.4	TR85040	109.29
	5-4	125-100	2.7	TR85041	110.29
	6-3	150-80	2.8	TR85043	121.01
	6-4	150-100	3.0	TR85044	117.23
	6-5	150-125	3.2	TR85045	142.31

## Galvanised Steel Foot Valves and Flanged Fittings

HOSE END – PLAIN/THREAD	Size		Weight (Kg)	Code	Price
	Inches	mm			
	2	50	1.0	TR84921	59.31
	3	80	1.5	TR84923	90.82
	4	100	2.3	TR84924	105.95
	5	125	2.9	TR84925	137.84
	6	150	3.5	TR84926	149.56
	8	200	4.0	TR84928	204.52
	HOSE END – FLANGE/PLAIN	Flange x Plain		Weight (Kg)	Code
Inches		mm			
2		50	2.0	TR84721	41.41
3		75	2.7	TR84723	46.64
4		100	3.9	TR84724	63.40
5		125	4.8	TR84725	80.11
6		150	5.2	TR84726	87.92
HOSE END – ENLARGING (FLANGE/BEAD)	Flange x Bead		Weight (Kg)	Code	Price
	Inches	mm			
	1½x2	40x50	2.0	TR84180	56.79
	1½x2½	40x65	2.0	TR84181	57.35
	1½x3	40x80	2.0	TR84182	58.05
	2x2½	50x65	2.0	TR84183	60.00
	2x3	50x80	2.3	TR84184	62.14
	2x4	50x100	3.1	TR84185	69.14
	2½x3	65x80	2.5	TR84186	70.21
	2½x4	65x100	3.3	TR84187	74.43
	3x4	80x100	3.9	TR84189	75.06
	3x5	80x125	4.2	TR84190	96.30
	3x6	80x150	4.5	TR84191	120.63
	4x5	100x125	4.0	TR84193	83.19
	4x6	100x150	4.3	TR84194	14.74
5x6	125x150	5.0	TR84195	152.08	
8x10	200x250	8.0	TR84197	193.36	
HOSE END – REDUCING (FLANGE/BEAD)	Flange x Bead		Weight (Kg)	Code	Price
	Inches	mm			
	2½x2	65-50	2.5	TR84062	58.11
	3x2	75-50	2.5	TR84063	60.63
	4x2	100-50	3.2	TR84064	62.65
	4x3	100-75	3.7	TR84065	78.78
	5x3	125-75	5.0	TR84066	80.80
	5x4	125-100	5.0	TR84067	84.83
	6x4	150-100	5.7	TR84069	92.08
	6x5	150-125	5.4	TR84070	106.76
8x4	200-100	8.0	TR84071	170.55	
8x6	200-150	9.0	TR84072	201.93	

## Galvanised Steel Foot Valves and Flanged Fittings

HOSE END – FLANGE/BEAD	Size		Weight (Kg)	Code	Price
	Inches	mm			
	2	50	2.0	TR84131	50.17
	2½	65	2.5	TR84132	53.38
	3	75	2.7	TR84133	55.34
	4	100	3.7	TR84134	72.10
	5	125	4.8	TR84135	91.01
	6	150	5.2	TR84136	101.60
	8	200	7.9	TR84138	143.70
	10	250	9.0	TR84140	195.06
HOSE END ENLARGING – (FLANGE/PLAIN)	Flange x Plain		Weight (Kg)	Code	Price
Inches	mm				
	2x2½	50x65		TR84773	51.30
	2x3	50x80	2.3	TR84774	52.69
	2x4	50x100	3.1	TR84775	59.12
	2½x3	65x80	2.5	TR84776	60.06
	2½x4	65x100	3.3	TR84777	74.50
	3x4	80x100	2.9	TR84779	67.06
	3x5	80x125	4.2	TR84780	83.76
	3x6	80x150	5.0	TR84781	114.26
	4x5	100x125	5.0	TR84783	92.52
	4x6	100x150	4.3	TR84784	99.64
	5x6	125x150	5.0	TR84785	108.53
CONNECTOR – (FLANGE/THREAD)	Size		Weight (Kg)	Code	Price
Inches	mm				
	1½x1½	40x40	2.0	TR88250	79.79
	2x2	50x50	2.3	TR88251	81.11
	2½x2½	65x65	3.5	TR88252	81.74
	3x3	80x80	3.2	TR88253	98.32
	4x4	100x100	4.2	TR88254	106.51
	5x5	125x125	5.4	TR88255	146.72
	6x6	150x150	6.4	TR88256	162.04
CONNECTOR – ENLARGING (FLANGE/THREAD)	Flange - Thread		Weight (Kg)	Code	Price
Inches	mm				
	2-2½	50-65	3.0	TR82843	98.32
	2-3	50-80	3.0	TR82844	99.64
	2-4	50-100	4.0	TR82845	108.53
	2½-3	65-80	4.0	TR82846	103.49
	2½-4	65-100	4.0	TR82847	107.90
	3-4	80-100	4.0	TR82849	110.67
	3-5	80-125	5.0	TR82850	127.25
	3-6	80-150	5.0	TR82851	154.60
	4-5	100-125	6.0	TR82853	201.68
	4-6	100-150	7.0	TR82854	176.60
	5-6	125-150	7.0	TR82855	195.13
CONNECTOR - FLANGED	Size		Weight (Kg)	Code	Price
Inches	mm				
	3x12	80x300	4.6	TR88233	92.65
	4x12	100x300	5.9	TR88234	117.23
	5x12	125x300	7.8	TR88235	139.47
	6x12	150x300	10.4	TR88236	163.36
	8x12	200x300	13.6	TR88238	238.55

## Galvanised Steel Foot Valves and Flanged Fittings



CONNECTOR – REDUCING (FLANGE/THREAD)	Flange - Thread		Weight (Kg)	Code	Price
	Inches	mm			
	2½-2	65-50	3.0	TR82933	109.10
	3-2	80-50	3.4	TR82934	98.07
	3-2½	80-65	3.6	TR82935	98.07
	4-2	100-50	3.6	TR82936	99.08
	4-2½	100-65	3.9	TR82937	104.94
	4-3	100-80	4.1	TR82938	113.89
	5-3	125-80	5.0	TR82939	117.35
	5-4	125-100	5.1	TR82940	137.02
	6-3	150-80	5.5	TR82941	137.08
	6-4	150-100	5.6	TR82942	142.56
	6-5	150-125	6.3	TR82943	148.93
TAPER – FLANGED ECCENTRIC	Flange - Thread		Weight (Kg)	Code	Price
	Inches	mm			
	3-1½	80-40	3.2	TR89005	109.54
	4-1½	100-40	4.1	TR89006	118.99
	3-2	80-50	6.3	TR89007	112.82
	4-2	100-50	4.5	TR89008	127.00
	5-2	125-50	6.0	TR89009	129.64
	2½-2	65-50	3.2	TR89010	96.24
	3-2½	80-65	3.7	TR89011	100.27
	4-2½	100-65	4.5	TR89012	117.48
	5-2½	125-65	6.0	TR89013	142.44
	6-2½	150-65	6.5	TR89014	161.53
	4-3	100-80	4.5	TR89015	114.64
	5-3	125-80	6.0	TR89016	138.21
	6-3	150-80	7.0	TR89017	162.73
	5-4	125-100	6.0	TR89019	139.54
	6-4	150-100	7.1	TR89020	161.34
	8-4	200-100	8.0	TR89022	210.00
	6-5	150-125	8.6	TR89024	168.53
	8-5	200-125	10.0	TR89025	217.69
	8-6	200-150	9.6	TR89028	224.43
10-8	250-200	14.0	TR89032	300.00	
12-8	300-200	16.0	TR89039	225.32	
12-10	300-250	18.0	TR89040	380.67	
TAPER – FLANGED ECCENTRIC (with priming socket)	Flange - Thread		Weight (Kg)	Code	Price
	Inches	mm			
	3-1½	80-40	3.7	TR89105	136.01
	4-1½	100-40	4.3	TR89106	135.76
	3-2	80-50	3.8	TR89107	143.38
	4-2	100-50	4.5	TR89108	159.20
	5-2	125-50	6.5	TR89109	165.32
	2½-2	65-50	3.5	TR89110	109.73
	3-2½	80-65	3.9	TR89111	129.33
	4-2½	100-65	4.5	TR89112	143.07
	5-2½	125-65	6.0	TR89113	168.72
	6-2½	150-65	5.5	TR89114	188.82
	4-3	100-75	5.0	TR89115	143.51
	5-3	125-75	6.1	TR89116	166.64
	6-3	150-75	7.0	TR89117	188.38
	5-4	125-100	6.4	TR89119	170.55
	6-4	150-100	7.4	TR89120	210.00
	8-4	200-100	8.5	TR89122	235.40
6-5	150-125	9.0	TR89124	195.76	
8-5	200-125	10.0	TR89125	241.07	
8-6	200-150	10.0	TR89128	247.56	

## Galvanised Steel Foot Valves and Flanged Fittings

HYDRANT RISER PIPES		Size		Weight (Kg)	Code	Price
		Thread x Length				
	3" BSP	305	2.6	TR81097	41.79	
	3" BSP	460	3.9	TR81098	52.94	
	3" BSP	610	5.1	TR81099	65.55	
	4" BSP	305	3.5	TR81101	68.07	
	4" BSP	460	4.5	TR81102	85.08	
	4" BSP	610	7.2	TR81103	111.18	
SCREWED FLANGES		Size		Weight (Kg)	Code	Price
		Flange Table x Thread				
	"D" - 3"	3" BSP	2.7	TR17035	48.47	
	"D" - 4"	4" BSP	3.7	TR17037	88.24	
	"D" - 5"	5" BSP	4.7	TR17038	151.51	
FLANGE "D" - SUIT FITTINGS (Galvanised)		Size		Weight (Kg)	Code	Price
		Inches	mm			
	2	50	2.0	TR83502	29.43	
	3	80	2.4	TR83503	35.55	
	4	100	2.6	TR83504	43.17	
	5	125	3.3	TR83505	58.74	
	6	150	3.6	TR83506	68.95	
	8	200	5.4	TR83508	112.37	
GASKET - TABLE "D" FLANGE		Size		Code	Price	
		Inches	mm			
	2	50	TRFG50D	2.00		
	2½	65	TRFG65D	2.60		
	3	80	TRFG80D	2.90		
	4	100	TRFG100D	3.60		
	5	125	TRFG125D	4.10		
	6	150	TRFG150D	5.00		
	8	200	TRFG200D	6.20		
	10	250	TRFG250D	9.00		
	12	300	TRFG300D	10.80		
	14	350	TRFG350D	17.00		
	15	375	TRFG375D	19.00		
	16	400	TRFG400D	24.00		
	18	450	TRFG450D	27.50		
	20	500	TRFG500D	36.00		
	24	600	TRFG600D	46.00		
	26	650	TRFG650D	53.00		
28	700	TRFG700D	68.00			
30	750	TRFG750D	75.00			
36	900	TRFG900D	99.00			



## Galvanised Steel Foot Valves and Flanged Fittings

STEEL FLANGE "D" – SUIT FITTINGS (UN Galvanised)	Size		Weight (Kg)	Code	Price
	Inches	mm			
	1½	40	1.0	TR82419	23.76
	2	50	1.4	TR82420	24.89
	2½	65	1.6	TR82421	27.35
	3	80	1.8	TR82423	29.75
	4	100	2.3	TR82424	37.44
	5	125	2.7	TR82425	49.66
	6	150	3.2	TR82426	58.61
	8	200	5.0	TR82428	96.68
	10	250	7.3	TR82430	136.76
	12	300	7.7	TR82432	180.44
	14	350	10.2	TR82433	201.55
	15	375	10.9	TR82434	214.22
	16	400	11.8	TR82435	289.92
	18	450	18.2	TR82436	493.74
	20	500	21.5	TR82437	599.56
24	600	28.2	TR82438	610.40	
BOLTS & NUTS	Diameter - Length		Weight (Kg)	Code	Price
	Flange Table x Thread				
	5/8 – 2	M16-50	0.15	TRA1780	2.46
	5/8 – 2½	M16-65	0.18	TRA1786	3.34
	¾ - 2 3/8	M20-60	0.28	TRA1790	5.04